

Percentage BoQ

Tender Inviting Authority: Superintending Engineer, Electricity Civil Distribution Circle, Victoria Park, Meerut

Name of Work: Miscellaneous repair and maintenance Civil works at 33/11 kv Sub-Station Sujudu Chungi, Muzaffarnagar.

T.S. No: 07/ECDC/MRT/2021-22

Name of the Bidder/ Bidding Firm / Company :							
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)							
NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	NUMBER #	TEXT #
SL No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT Rs. P	TOTAL AMOUNT With Taxes	TOTAL AMOUNT In Words
1	2	4	5	6	7	8	8
1	Excavation in foundation in ordinary soil (loam, clay or sand) including lift upto 1.5 Meter (5ft.) and lead upto 30 Meter (100 ft.) including filling, watering, and ramming of excavated earth into the trenches or into the space between the building and the side of the foundation trenches or into the plinth incl. removal and disposal of the surplus earth as directed by the Engineer-in charge upto a distance of 30 Meter (100 ft.) from the foundation trenches. CSI No. 4.01	1.00	Cum	171.00	171.00	171.00	INR One Hundred & Seventy One Only
2	Earth filling under floors, road and in substation open area including cost of the earth. Earth to be obtained from Outside the Corporation's area including its cartage, ramming, watering, dressing in 20Cm. thick layers and dressing of earth etc. complete including cost of earth T&P and royalty etc. required for proper completion of work executed CSI No. 4.10	1.00	Cum	389.00	389.00	389.00	INR Three Hundred & Eighty Nine Only
3	Cement concrete with 4cm (1.5") gauge brick ballast, coarse sand of 2.5 fineness modulus and cement in proportion of 12:6:1 in foundation and under floors incl. supply of all materials, labours, & tools and plants etc. required for proper completion of the work. Based on CSI No. 5.01	1.00	Cum	4663.00	4663.00	4663.00	INR Four Thousand Six Hundred & Sixty Three Only
4	Cement concrete with 2 Cm. gauge approved stone ballast, approved coarse sand of 2.5 F.M. and cement in the proportion 4:2:1 for making C.C. gola, grouting of M.S. railing and other similar works etc. including supply of all materials, labour and T&P etc. required for proper completion of work. CSI No. 5.03	13.30	Cum	6088.00	80970.40	80970.40	INR Eighty Thousand Nine Hundred & Seventy and Paise Forty Only
5	RCC work with cement, approved coarse sand and 2cm (3/4") gauge approved stone ballast in the proportion of 1:1.5:3 in the lintels or bends and sun shade of doors and windows excluding supply of reinforcement and its bending but including its cutting, fixing and binding the same with 24 B.W.G. G.I. wire including necessary centering and smooth shuttering etc. required for proper completion of work including supply of all material, binding wire, labour and T&P etc. CSI No. 5.08	0.30	Cum	8591.00	2577.30	2577.30	INR Two Thousand Five Hundred & Seventy Seven and Paise Thirty Only
6	Same as above in item no. 5 but in roof slab (1:1.5:3) CSI No. 5.10	0.20	Cum	9902.00	1980.40	1980.40	INR One Thousand Nine Hundred & Eighty and Paise Forty Only
7	Same as above in item no. 5 but in beam (1:1.5:3) CSI No. 5.12	0.20	Cum	10821.00	2164.20	2164.20	INR Two Thousand One Hundred & Sixty Four and Paise Twenty Only
8	Same as above in item no. 5 but in Raft & Footing (1:1.5:3) CSI No. 5.14	0.30	Cum	7569.00	2270.70	2270.70	INR Two Thousand Two Hundred & Seventy and Paise Seventy Only
9	Same as above item no. 5 but in R.C.C Column and T. beam (1:1.5:3) CSI No. 5.16	0.10	Cum	10992.00	1099.20	1099.20	INR One Thousand & Ninety Nine and Paise Twenty Only
10	Concreting of 40 mm thick R.C.C. trench cover of mild steel frame work with GC 1:1.5:3 in cement coarse sand, 12 mm down graded stone ballast with smooth finishing on both top and bottom surfaces matching with floor colour complete with all labour, materials, T&P etc. required for proper completion of the work but excluding cost of cover of steel frame CSI No. 5.17	1.00	Sqm	407.00	407.00	407.00	INR Four Hundred & Seven Only

T.E.

S.D.O. (A/E)

EE

11	1st class brick work in 1:5 C.M. with cement and coarse sand of 2.25 F.M. mortar in foundation and plinth including supply of all material, labour and T&P etc. required for proper completion of work. CSI No. 6.01	0.50	Cum	4312.00	2156.00	2156.00	INR Two Thousand One Hundred & Fifty Six Only
12	As in item no. 11 above but in superstructure for one and half brick wall CSI No. 6.01+6.05	1.00	Cum	4626.00	4626.00	4626.00	INR Four Thousand Six Hundred & Twenty Six Only
13	As in item no. 11 above but in superstructure for one brick thick wall CSI No. 6.01+6.06	0.50	Cum	4851.00	2425.50	2425.50	INR Two Thousand Four Hundred & Twenty Five and Paise Fifty Only
14	As in item no. 11 above but for wall of half brick 4.5" (115mm) thick but in 1:4 C.M. with cement and coarse sand of 2.25 F.M. mortar. CSI No. 6.02+6.07	0.40	Cum	5171.00	2068.40	2068.40	INR Two Thousand & Sixty Eight and Paise Forty Only
15	25mm thick Damp proof course with cement concrete consisting of 1 part cement, 1 1/2 parts approved coarse sand and 3 parts approved 13mm (1/2") down graded stone grit and including water proofing material (Preferably RECRON 35 or Dr.Fixit) as directed by the Engineer-in-charge mixed in proportion as specified by the manufacturer. CSI No. 7.01	1.00	Sqm	314.00	314.00	314.00	INR Three Hundred & Fourteen Only
16	Supply and fixing Stainless Steel mosquito proof heavy quality iron wire mesh of 15x28 G over windows and including supply of UP leak wood battens (40x15) mm size and including supply and fixing of necessary screws all materials, labour and T&P etc. required for proper completion of the work. CSI No. 8.15 A	30.00	Sqm	548.00	16440.00	16440.00	INR Sixteen Thousand Four Hundred & Forty Only
17	Supply and fixing (a) L-Drop 16 mm dia 10" long of chromium polished iron fitting with screws for doors and windows etc. CSI No. 8.17 (b)	2.00	Nos	114.00	228.00	228.00	INR Two Hundred & Twenty Eight Only
18	Same as above item No. 17 (c) L-Drop 16 mm dia 8" long	2.00	Nos	89.00	178.00	178.00	INR One Hundred & Seventy Eight Only
19	Same as above item No. 17 (g) Handle 6" long	2.00	Nos	44.00	88.00	88.00	INR Eighty Eight Only
20	Same as above item No. 17 (i) M.S. Hinges 4" long	4.00	Nos	32.00	128.00	128.00	INR One Hundred & Twenty Eight Only
21	Supply and Fixing brass polished hydraulic door closure Everest or equivalent make, its fixing and adjustment with the help of screws, nuts and bolts including supply of all materials labour, T&P etc. required for the proper completion of the work. CSI No. 8.20	1.00	Nos	1430.00	1430.00	1430.00	INR One Thousand Four Hundred & Thirty Only
22	Supply and fixing 30 MM single leaf flush doors commercial quality conforming to I.S. 2202 part-I (1983) including fixing of wooden cleats and stoppers including cost of all materials labour, & T&P etc. required for the proper completion of the work. CSI No. 8.24 (a)	8.40	Sqm	1465.00	12306.00	12306.00	INR Twelve Thousand Three Hundred & Six Only
23	Mild steel or iron work in heavy sizes such as trusses, built-up gates, door frames, record racks, roof work, collapsible gate, Section Windows, Verandah grill etc. wrought to required form including drilling holes, riveting or welding where necessary and also fixing in proper position & alignment including supply of steel, nuts and wastage etc. and their fixing as required for proper completion of the work as direction of E.I. CSI No. 9.02	0.40	MT	74360.00	29744.00	29744.00	INR Twenty Nine Thousand Seven Hundred & Forty Four Only
24	Mild steel or iron in plain work such as R.C.C. work (when not included in over all rates) wrought to required shape as necessary including bending for proper completion of the work including supply of steel, its wastage, bend, hooks, and authorized overlapping shall be measured. CSI No. 9.04	1.10	MT	70322.00	77354.20	77354.20	INR Seventy Seven Thousand Three Hundred & Fifty Four and Paise Twenty Only
25	Supply and fixing of 50X50mm. 8Gauge G.I. Chain link of approved quality of required height over M.S. Angle frame with M.S. flat, 10mm dia 40mm long nut bolts & washer and welding as required. Rate including cost of all material, labour and T&P etc. required for proper completion of work. (Excluding cost of M.S. Angle frame with M.S. flat) CSI No. 9.17	40.00	sqm	605.00	24200.00	24200.00	INR Twenty Four Thousand Two Hundred Only
26	Providing and Fixing Concertina coil fencing with required dia 600 mm up to 3m height of wall existing angle iron 'Y' shaped placed 2.4 m or 3.00 m apart and with 6 horizontal R.B.T. stud tied with G.I. staples and G.I. clips to retain horizontal including necessary bolts or G.I. barbed wire tied to angle iron all complete (No. of Rounds will be 7 to 8 in one meter length) as per direction of Engineer-in-charge with reinforced barbed tape (R.B.T.) / Spring core (2.5 mm thick) wire of high tensile strength of 165 kg/sq. mm. with tape (0.52 mm thick) of supreme make or equivalent and weight 43.476gm/meter (cost of M.S. angle, C.C. blocks shall be paid separately) CSI No. 9.23	5.00	RM	372.00	1860.00	1860.00	INR One Thousand Eight Hundred & Sixty Only

(J.E.)

(S.D.O.)

(A.E.)

EG

27	Add or deduct in Item No. 9.23 for each horizontal R.B.T. Stud tied with GI Staples and GI Clips as per site Conditions CSI No. 9.23A	5.00	RM	15.00	75.00	75.00	INR Seventy Five Only
28	P/F Chicken Mesh of 22 gauge and 20 mm hexagonal size over roof/wall 10 cm over lapping with the help of U nails. As per direction of E/I including cost of all materials, labour and T&P etc. reqd. for proper completion of the work. CSI No. 10.09	10.00	Sqm	65.00	650.00	650.00	INR Six Hundred & Fifty Only
29	12 mm thick cement plaster in proportion of 1:4 C.M. with cement and C-sand 2.5 fineness modulus over brick work, minimum thickness not to be less than 1 cm incld. supply of all materials, labour and T&P etc. required for proper completion of work. CSI No. 11.03	9.00	Sqm	169.00	1521.00	1521.00	INR One Thousand Five Hundred & Twenty One Only
30	Same as above in item no. 28 but plaster in 1:6 CSI No. 11.04	160.00	Sqm	161.00	25760.00	25760.00	INR Twenty Five Thousand Seven Hundred & Sixty Only
31	Same as above in item no. 28 but with 1:3 cement and Coarse Sand mortar extra for ceiling (only for repair work)	8.00	Sqm	24.00	192.00	192.00	INR One Hundred & Ninety Two Only
32	Add for extra labour and materials for plaster over rough face of one brick wall CSI No. 11.09	9.00	Sqm	22.00	198.00	198.00	INR One Hundred & Ninety Eight Only
33	2 cm (3/4") thick cement plaster in dado or skirting in 1:2 C.M. consisting of one part of cement and two parts of approved coarse sand laid in panels finished with 3mm (1/8") thick floating coat of neat cement or cement and marble dust in ratio of 5:1 including supply of all materials, labour and T&P etc. required for proper completion of the work CSI No. 11.10	5.00	Sqm	236.00	1180.00	1180.00	INR One Thousand One Hundred & Eighty Only
34	Engraving groove 12 x 12 mm size in plaster as per direction of E/I. CSI 11.11	110.00	RM	10.00	1100.00	1100.00	INR One Thousand One Hundred Only
35	Providing and mixing approved quality of water proofing compound (125 gms.) (DR. FIXIT / RECRON 35) / hardening material in cement mortar or Concrete as per direction of E/I in proportion as recommended by the manufacturer. CSI No. 11.12	11.00	Per bag of cement	43.00	473.00	473.00	INR Four Hundred & Seventy Three Only
36	Making drip course (25x12) mm in 1:2 C.M. with cement and c-sand mortar incld. cost of all material, labour and T&P etc. reqd. for proper completion of the work. CSI No. 11.14	10.00	RM	25.00	250.00	250.00	INR Two Hundred & Fifty Only
37	4 cm thick 1:2:4 plain cement concrete floor with cement, approved coarse sand of 2.5 F.M. and 2cm (3/4") graded approved stone ballast laid in panels finished with 3mm (1/8") thick floating coat of neat cement or cement and marble dust in ratio of 5:1 as specified over incl. removing any over lapping mortar at the joints of the panel if any and giving them a uniform finished etc. including supply of all materials, labour and T&P etc. required for proper completion of work. (but without base concrete) CSI No. 12.02	80.00	Sqm	357.00	28560.00	28560.00	INR Twenty Eight Thousand Five Hundred & Sixty Only
38	5/8" or 8 mm thick, glazed/matt finish tiles (SOMANI) or equivalent approved quality and size upto 400x400 in floor, skirting or dado laid with 1:3 cement and coarse sand mortar and joints finished with white cement including polishing etc. complete including supply of all materials, labour and T&P etc. required for proper completion of work. CSI No. 12.07	5.00	Sqm	929.00	4645.00	4645.00	INR Four Thousand Six Hundred & Forty Five Only
39	P/F glass strips of 3-15 mm thickness and 4 cm. depth in joints of floor and skirting at the time of laying floors flush with floor level etc. including cost of all materials, labour and T&P etc. complete. CSI No. 12.09	8.00	RM	29.00	232.00	232.00	INR Two Hundred & Thirty Two Only
40	Painting or varnishing on iron works in small areas of new wood work with one coat of ready mixed priming paint and one coat of approved superior quality ready mixed paint of clear synthetic varnish including supply of all materials, labour and T&P etc. required for proper completion of the work. Paint to be used should conform to the ISI no. 103-1950. CSI No. 12.01	18.00	Sqm	69.00	1242.00	1242.00	INR One Thousand Two Hundred & Forty Two Only
41	Same as in item 40 above but for every coat after 1st coat. CSI No. 12.02	140.00	Sqm	22.00	4480.00	4480.00	INR Four Thousand Four Hundred & Eighty Only
42	As in item 40 above but for every coat on previously painted old wood or steel work. CSI No. 12.03	120.00	Sqm	45.00	5400.00	5400.00	INR Five Thousand Four Hundred Only

(J.E.)

(S.D.O.)

(AE)

EE

43	Applying BIRLA PUTTY or equivalent putty on new interior or exterior surface over one coat of water base cement primer of ICI or equivalent brand for smoothing and leveling of the surface as per requirement and direction of E/I, including cost of all material, labour and T&P required for proper completion of work. CSI No. 13.04	160.00	Sqm	88.00	14080.00	14080.00	INR Fourteen Thousand & Eighty Only
44	Applying BIRLA PUTTY or equivalent putty on OLD interior or exterior surface after cleaning the old painted surface as per requirement and direction of E/I, including cost of all material, labour and T&P required for proper completion of work. CSI No. 13.05	350.00	Sqm	54.00	18900.00	18900.00	INR Eighteen Thousand Nine Hundred Only
45	One priming coat & one coat synthetic/acetlic distemper on new work including supply of all materials, labour and T&P etc. required for proper completion of the work. CSI No. 13.09	150.00	Sqm	24.00	3600.00	3600.00	INR Three Thousand Six Hundred Only
46	As in item no. 45 above but for every coat after the first coat. CSI No. 13.10	850.00	Sqm	18.00	15300.00	15300.00	INR Fifteen Thousand Three Hundred Only
47	As in item no. 45 above but for every coat on previously old distempered surface. CSI No. 13.11	700.00	Sqm	33.00	23100.00	23100.00	INR Twenty Three Thousand One Hundred Only
48	Applying P.O.P plaster with minimum 6mm to 10mm thick plaster of paris putty on plastered surface of walls/ceilings for smooth finish including its preparation of surface for painting by applying oil based primer and chalkputty over P.O.P plaster. Rates including cost of all labour, material, T & P etc. required for proper completion of work. CSI No. 13.17	15.00	Sqm	125.00	1875.00	1875.00	INR One Thousand Eight Hundred & Seventy Five Only
49	Making POP cornice 100mmx100mm size approved shape and design at junction of ceiling and wall including cost of necessary centering and shuttering, POP, its wastage, T&P etc. complete for proper completion of work. CSI No. 13.17	10.00	RM	112.00	1120.00	1120.00	INR One Thousand One Hundred & Twenty Only
50	Making POP fan ring/circle on ceiling of room of approved shape and design approved by E/I including cost of all materials, labour T&P complete. CSI No. 13.18	3.00	Nos	130.00	390.00	390.00	INR Three Hundred & Ninety Only
51	Dismantling plastered or un plastered brick work or stone masonry work in lime or cement mortar and including stacking of material as directed by the Engineer-in-charge within a distance of 60metres. C.S.I. No. 15.01	0.50	Cum	420.00	210.00	210.00	INR Two Hundred & Ten Only
52	Dismantling R.C.C. or R.B. work including stacking of material as directed by the Engineer-in-charge within a distance of 60metres. CSI No. 15.02	0.50	Cum	1020.00	510.00	510.00	INR Five Hundred & Ten Only
53	Dismantling cement concrete or brick or granolithic floor, including base concrete as and where required including stacking of dismantled material as directed by Engineer-in-charge within a distance of 60 meters CSI No. 15.03	90.00	Sqm	48.00	4320.00	4320.00	INR Four Thousand Three Hundred & Twenty Only
54	Dismantling existing plaster including disposal of refuse as directed by the Engineer-in-charge within a distance of 60 metres. CSI No. 15.06	450.00	Sqm	34.00	15300.00	15300.00	INR Fifteen Thousand Three Hundred Only
55	Brick soling with first class bricks laid with brick on edge and dry including preparation of sub grade to prescribed camber and including supply of brick filling joints with fine sand by spreading and blinding over entire surface of brick soling as per direction of E/I including cost of material, labour and T&P etc. required for proper completion of work. CSI No. 17.03	5.00	Sqm	493.00	2465.00	2465.00	INR Two Thousand Four Hundred & Sixty Five Only
56	Wiring point for light with 1.5 sq. mm. FR PVC insulated multistrand single copper conductor cable in PVC conduit pipe concealed in the wall, 14 SWG copper PVC coated Earth continuity wire, and approved quality, piano type switch ceiling rose/angle/batten holder as per approved sample on 3mm thick phenolic laminated bakelite sheet etc. of matching shade with wall colour complete in all respect CSI No. 21.01	2.00	Nos	520.00	1040.00	1040.00	INR One Thousand & Forty Only
57	Wiring point for fan/fresh air fan (light duty exhaust fan) 1.5 sq. mm FR PVC insulated multistrand single core copper conductor cable PVC conduit pipe concealed in the wall, 14 SWG copper earth continuity wire and approved quality, piano type switch & ceiling rose as per approved sample on 3mm thick phenolic laminated bakelite sheet etc. of matching shade with wall colour complete in all respects as per direction of E/I CSI No. 21.03	2.00	Nos	596.00	1192.00	1192.00	INR One Thousand One Hundred & Ninety Two Only

(J.E.)

S.D.O.

(A.E.)

EE

58	Wiring point for plug with 1.5 sq. mm FR PVC insulated multi strand single core copper conductor cable in PVC conduit pipe concealed in the wall 14 SWG copper earth continuity wire and approved quality type switch and socket as per approved sample etc. of matching shade with wall colour complete in all respects as per direction of E/I. CSI No. 21.04	2.00	Nos	278.00	556.00	556.00	INR Five Hundred & Fifty Six Only
59	S/F 5 amp. to 51 amp. MCB 9 KA/10 KA (Havells/MOS make). CSI No. 21.18	4.00	Nos	143.00	572.00	572.00	INR Five Hundred & Seventy Two Only
60	S/F surface/flush mounting 4 ways SPN distribution board without MCB complete in all respect as per direction of E/I. CSI No. 21.19	1.00	Nos	512.00	512.00	512.00	INR Five Hundred & Twelve Only
61	S/F of power plug 15 amp./250 volts flush type switch and 5 pin 15 Amp. 250 volts flush type Universal socket suitable in M.S. box of 175mm x 100mm x 50 mm size with sun-nica top sheet 3 mm thick mounted with cup washers and machine brass screws. (Anchor or SSR make). CSI No. 21.20	1.00	Nos	244.00	244.00	244.00	INR Two Hundred & Forty Four Only
62	S/F 63 Amp. Isolator approved make and as per sample approve E/I PSI No. 1002 (D)	1.00	Nos	142.00	142.00	142.00	INR One Hundred & Forty Two Only
63	Supply and fixing of 4 mm thick glass panes of approved quality with brad and putty of approved make for 'Z' section windows and ventilators incl. cost of all materials, labours and T&P etc. complete as per direction of E/I. CSI No. 22.06	4.00	Sqm	540.00	2160.00	2160.00	INR Two Thousand One Hundred & Sixty Only
64	Scrapping and cleaning old white wash, colour wash, cement wash or snowcem etc. with wire brush, sand paper etc. including disposal of refuse as directed by the Engineer-in-charge within a distance of 60 metres including cost of all labour, T&P etc. required for proper completion of work. C.S.I. No. 22.16	1320.00	Sqm	1.00	1320.00	1320.00	INR One Thousand Three Hundred & Twenty Only
65	Thorough cleaning of septic tank with sludge pump including disposal of waste outside the corporation area including removing septic tank cover and refixing cover in its position as per direction of the E/I including cost of all labour, T&P etc. required for proper completion of work. C.S.I. No. 22.18	1.00	Nos	2000.00	2000.00	2000.00	INR Two Thousand Only
66	Disposal of rubbish/debris outside the corporation area as per direction of Engineer in-charge including cartage labour and T&P etc. required for proper completion of the work. C.S.I. No. 22.22	4.00	Cum	300.00	1200.00	1200.00	INR One Thousand Two Hundred Only
67	Replacing and fixing white glazed earthenware W.C. 'Onssa' pan of Hindware or equivalent make of (580x440) mm size of approved sample including cost of all materials, labour and T&P etc. completion including dismantling of broken Pan and its disposal out side corporation area. C.S.I. No. 22.39	1.00	Nos	2000.00	2000.00	2000.00	INR Two Thousand Only
68	S/R of mechanical type regulator for ceiling fan of GEC or equivalent make including cost of all labour material, T&P etc. required for proper completion of the work. C.S.I. No. 22.60-A	2.00	Nos	95.00	190.00	190.00	INR One Hundred & Ninety Only
69	Supply and fixing of 16 W to 25 W CFL tubes of PHILIPS or equivalent make of approved sample and make as per direction of Engineer-in-charge. C.S.I. No. 22.65 B	2.00	Nos	255.00	510.00	510.00	INR Five Hundred & Ten Only
70	Providing and fixing 15m dia B-class (T.T./Sawastik make) ISI marked G.I. Pipe complete with G.I. specials as bends, tee, socket cross, clamps, etc. Earth work including filling the trenches etc. required for proper completion of the work. The rate also includes concealed G.I. fitting where required, cutting and making good the walls etc. including cost of all materials, labour T&P etc. complete. (Internal work). CSI No. 24.01	5.00	RM	187.00	935.00	935.00	INR Nine Hundred & Thirty Five Only
71	As in Item No. 70 above but for 20mm dia B-class I.S.I. marked G.I. pipe. CSI No. 24.02	5.00	RM	222.00	1110.00	1110.00	INR One Thousand One Hundred & Ten Only
72	As in Item No. 70 above but for 32 mm dia B-class I.S.I. marked G.I. pipe. CSI No. 24.04	2.00	RM	387.00	774.00	774.00	INR Seven Hundred & Seventy Four Only

(J.E.)


S.D.O.

EE.

73	Supply and fixing CP Brass bib cock 15 mm dia heavy quality CAT 0010(Royal) Sonata or equivalent make including supply of all materials labour, T&P etc. required for the proper completion of the work. CSI No. 24.26	2.00	Nos	1028.00	2056.00	2056.00	INR Two Thousand & Fifty Six Only
74	Supply and fixing C.P. Brass stop cock 15 mm dia L & K / Sonata-CAT 0100 Royal or equivalent make including supply of all materials, labour and T&P etc. required for proper completion of the work. CSI No. 24.28	2.00	Nos	845.00	1690.00	1690.00	INR One Thousand Six Hundred & Ninety Only
75	Providing and fixing 15mm dia C.P. Pillar cock L&K, Sonata (Round) -CAT 0050 Royal or equivalent make including supply of all materials, labour and T&P etc. required for proper completion of the work. CSI No. 24.33A	2.00	Nos	730.00	1460.00	1460.00	INR One Thousand Four Hundred & Sixty Only
76	Supply and fixing Syntex or equivalent make water storage tank of desired capacity including supply of all materials labour, T&P etc. required for the proper completion of the work. CSI No. 24.45	500.00	Per Liter	14.00	7000.00	7000.00	INR Seven Thousand Only
77	Providing and fixing 75 mm dia P.V.C. pipe of following size P.V.C. pipe 6 kg /sq. cm with all special such as tee bend, socket, elbow etc including cutting of pipe where necessary including excavation of trenches and its back filling after testing the pipe line including watering, ramming etc. complete including disposal of surplus earth from the site up to 100meter as per direction of E/I as required for proper completion of work. CSI No. 24.47 (G)	3.00	RM	171.00	513.00	513.00	INR Five Hundred & Thirteen Only
78	Providing and fixing of first quality Orissa pattern white glazed earthen ware ISI marked W.C. pan size 580mm as per approved sample (Hindware required design No. 20042 or equivalent make) with 100 mm size white glazed 'P' or 'S' trap as per approved sample with all accessories, 32 mm dia C.P. flush pipe with union including cutting and making good the walls and floors. The seat and trap shall have to be fixed over minimum 75 mm thick C.C. in proportion of 1:6:12 including supply of all materials, labour, T&P etc. required for proper completion of the work C.S.I. No. (25.02)	1.00	Each	4080.00	4080.00	4080.00	INR Four Thousand & Eighty Only
79	Providing and fixing of 1st quality white glazed earthen ware wash hand basin ISI marked size 450mm x 300mm (Hindware or equivalent make) with R.S. or C.I. brackets, C.P. Brass pillar cock 15mm dia (weight not less than 400 gms) ISI marked, 32mm dia C.P. brass chain with rubber plug, 32mm dia C.P. Brass waste standard pattern with check nut, P.V.C. connection 15 mm dia including cutting and making good the walls and floor including cost of all required materials, labour and T&P etc. required for proper completion of work (Fittings to be used should be of superior quality as per approved sample) C.S.I. No. (25.09)	1.00	Each	1820.00	1820.00	1820.00	INR One Thousand Eight Hundred & Twenty Only
80	Providing and fixing 610mm x 450mm x 200mm 100% stainless steel Sink of approved quality as per approved sample with R.S. or C.I. brackets, 32mm C.P. brass waste complete with checknut, 32mm dia PVC waste pipe with bend including supply of all required materials, labour and T&P etc. required for proper completion of work. C.S.I. No. 25.11	1.00	Each	3260.00	3260.00	3260.00	INR Three Thousand Two Hundred & Sixty Only
81	Providing and fixing 750mm x 20mm size C.P. brass Towel rail of approved quality (wt. 275gms including brackets) with a pair of C.P. brass brackets fixed with PVC cleats & brass screws and washers including cutting and making good the wall plaster including cost of all materials, labour and T&P etc. required for proper completion of work. C.S.I. No. 25.15	1.00	Each	968.00	968.00	968.00	INR Nine Hundred & Sixty Eight Only
82	Providing and fixing C.P. Brass soap dish with brackets fixed to wooden cleats with brass screws including supply of all materials, labour, T&P etc. required for proper completion of work. C.S.I. No. 25.23	1.00	Each	360.00	360.00	360.00	INR Three Hundred & Sixty Only
83	Providing and fixing 100mm dia C.P. grating over Nahari Trap or drain holes including cost of all materials, labour and T & P etc. required for proper completion of the work. C.S.I. No. 25.24	1.00	Each	42.00	42.00	42.00	INR Forty Two Only
84	P/F 32 mm dia P.V.C. waste pipe C.S.I. No. 25.28	1.00	Each	60.00	60.00	60.00	INR Sixty Only
85	Water Proofing coat with 3mm thick neat cement layer including 200 ml water Proofing Compound like as Dr. Fixit and other equivalent with all labour T&P NSI	250.00	sqm	80.00	20000.00	20000.00	INR Twenty Three Thousand Two Hundred Only



J.E.


S.D.O.


A.G.


E.E.

86	Supply and fixing 1200mm size sweep ceiling fan (G.E.C./ Polar/Crompton /Usha or equivalent approved make) with double ball bearing, step type electronic regulator, necessary copper and 900 mm long hanging rod with double Canopy including testing and commissioning as per direction of Engineer-in-charge. NSI	2.00	Nos	1785.00	3570.00	3570.00	INR Three Thousand Five Hundred & Seventy Only
87	Finishing of walls with three coats water proof exterior emulsion paint "ACE" "Out Look" or equivalent make on new work including one priming coat (1 Liter paint diluted including 0.75 liter of water) to give an even shade complete including cost of all materials, labour and T&P etc. as per direction of E/I NSI	505.00	Sqm	76.50	38632.50	38632.50	INR Thirty Eight Thousand Six Hundred & Thirty Two and Paise Fifty Only
Total in Figures					554534.80	554534.80	INR Five Lakh Fifty Four Thousand Five Hundred & Thirty Four and Paise Eighty Only
Quoted Rate in Figures			Select		0.00	0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only					


(J.E.)


(AE) SOCC,


EE.